

## **FIXED REAGENT RACK 1-tier**

Simple. Durable. Functional. Machlab's quality is reflected in the seamless yet functional design; durable yet versatile construction; that is both convenient to use and appealing to the eyes.



### **FEATURES**

- Durable **lab-grade construction**
- **100 microns** powder coating finish
- **Corrosion resistance** certified
- **Safety** stainless steel guardrail

### **SPECIFICATIONS**

- **Certified quality** (ISO2178, ISO2813, ISO2409, ASTM 117, ASTM D3363)
- Manufactured of **heavy-duty steel** (22-gauge, electro-galvanised)

## **FIXED REAGENT RACK 2-tier**

Simple. Durable. Functional. Machlab's quality is reflected in the seamless yet functional design; durable yet versatile construction; that is both convenient to use and appealing to the eyes.



### **FEATURES**

- Durable **lab-grade construction**
- **100 microns** powder coating finish
- **Corrosion resistance** certified
- **Safety** stainless steel guardrail
- **Concealed** utility trunking

### **SPECIFICATIONS**

- **Certified quality** (ISO2178, ISO2813, ISO2409, ASTM 117, ASTM D3363)
- Manufactured of **heavy-duty steel** (22-gauge, electro-galvanised)

## FIXED REAGENT RACK 3-tier

Simple. Durable. Functional. Machlab's quality is reflected in the seamless yet functional design; durable yet versatile construction; that is both convenient to use and appealing to the eyes.



### FEATURES

- Durable **lab-grade construction**
- **100 microns** powder coating finish
- **Corrosion resistance** certified
- **Safety** stainless steel guardrail
- **Concealed** utility trunking

### SPECIFICATIONS

- **Certified quality** (ISO2178, ISO2813, ISO2409, ASTM 117, ASTM D3363)
- Manufactured of **heavy-duty steel** (22-gauge, electro-galvanised)

**MODELS**

**1-TIER**

|                   | <b>W</b> | <b>D</b> | <b>H</b> |
|-------------------|----------|----------|----------|
| <b>RF-1T-7560</b> | 750      | 300      | 600      |
| <b>RF-1T-9060</b> | 900      | 300      | 600      |
| <b>RF-1T-1060</b> | 1050     | 300      | 600      |
| <b>RF-1T-1260</b> | 1200     | 300      | 600      |

**2-TIER**

|                   | <b>W</b> | <b>D</b> | <b>H</b> |
|-------------------|----------|----------|----------|
| <b>RF-2T-7575</b> | 750      | 300      | 750      |
| <b>RF-2T-9075</b> | 900      | 300      | 750      |
| <b>RF-2T-1075</b> | 1050     | 300      | 750      |
| <b>RF-2T-1275</b> | 1200     | 300      | 750      |

**3-TIER**

|                   | <b>W</b> | <b>D</b> | <b>H</b> |
|-------------------|----------|----------|----------|
| <b>RF-3T-7510</b> | 750      | 300      | 1050     |
| <b>RF-3T-9010</b> | 900      | 300      | 1050     |
| <b>RF-3T-1010</b> | 1050     | 300      | 1050     |
| <b>RF-3T-1210</b> | 1200     | 300      | 1050     |

