

STAINLESS STEEL WORKSURFACE

Machlab Stainless Steel worktops are fabricated of 16-gauge, Type 304 or 316 with a #4 finish. All corners, open ends and joints are continuously welded and ground smooth. Box channel reinforcements are welded on the underside of the worksurface. Optional sound-deadening material is applied to the underside. Stainless steel sink bowls and cup sinks are integrally welded into the top, providing a joint-free assembly.



TECHNICAL SPECIFICATIONS

- **Thickness:** 25mm, 38mm, 50mm
- **Material:** 16-gauge, Type 304/316
- **Finishing:** #4 finish
- **Core:** Grade-A solid plywood or box channel reinforcements



Marine Edge



Eased Edge

MAINTENANCE & CARE GUIDELINES

Clean the surface just with pure hot water and use a soft sponge - (DO NOT use the abrasive "green" side of the sponge), use a soft cloth or a soft brush (e.g. nylon brush). Use common household cleaners without abrasives like detergent or window cleaner.

We recommend instituting a regimen of monthly or quarterly inspections of all surfaces, sinks and joints, plus daily or weekly cleanings to maintain your worksurface's original finish and to help ensure a safe, uncontaminated working environment. The following list contains items you may wish to have on-hand for regular cleaning and to handle most problems that may occur.

- Clean rags or sponges (always use moist or wet)
- Mild soap or household cleaners

Note: Never use wax or polish containing wax. Also never use abrasive pads, sponges, powders or liquids (such as Soft Scrub) as surface damage will occur.

To repair slight scratches, use impregnated nylon pads. Stainless steel and "Scotch-brite" scouring pads are satisfactory. Do not use steel wool. Polish along grains to achieve a uniform finish.

By following these simple guidelines your laboratory work surfaces will look good for the life of the lab. Please take time to share this document with your lab workers and cleaning personnel and institute a maintenance program to help ensure the safety and beauty of your lab.